



SONORAN

WOOD BLIND COLLECTION

January 2023 | Product Reference & Price Guide

Prices subject to change without notice.

v2.23

TABLE OF CONTENTS

Product Overview

- Color Chart3

Pricing Information

- 2" Smooth Finish Price Group and Option Charges4
- 2" Specialty Finish Price Group and Option Charges5
- 2-3/8" Smooth Finish Price Group and Option Charges6
- Somfy Automation Surcharges7

Valance Upgrade Information

- Individual Valance Ordering and Pricing8
- Valance and Valance Return Information and Specifications9

Solid and Decorative Tape Option and Listing10

Product and Specifications

- Features and Options11
- Size Specifications, Finished Dimensions and Mounting Requirements12

Controls, Components, Ladder/Tape Placement and Stack-up Charts

- Standard13
- Cordless Lift14
- Somfy Automation15
- Cordless Lift & Lock™16

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see Terms of Sale & Freight / Repair Charges for additional freight and shipping charge information.

TERMS OF SALE & FREIGHT / REPAIR CHARGES

PRICE QUOTATION

All Wood Collection products are priced FOB San Diego, CA and do not include freight.

All prices subject to change without notice.

To ensure order accuracy, please use the Wood Collection order form. The blank order form can be found at the back of the price book. Make copies to create additional blank order forms.

CANCELLATION OR CHANGE ORDER

IMPORTANT! Due to the custom nature of our products, we cannot accept changes or cancellations after orders have been put into production.

LEAD TIME

Typically, orders (less than 15 units) are manufactured and shipped within 5 business days. All orders are subject to inventory availability. Orders placed after 3:30 p.m. EST are considered as next day business.

ORDER TRACKING & ORDER STATUS

Order confirmations are sent via email within 24 hours of placing order. Please make sure you have your email on file with BDD Inc. To track your order or check the status of your order, please contact customer service and provide them with the work order number.

STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES

\$8.00 for each blind

Oversize (90" and above) \$50 each blind, \$80 Minimum

Next Day, 2nd Day Air and 3 Day select shipping options are available - actual freight will be applied.

FREIGHT DAMAGE & SHORTAGES

Please inspect all shipments immediately and carefully. Please report damages and shortages on the delivery receipt and notify BDD Inc. customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.

COLOR CHART

2" Smooth

	COLOR #
Gray Owl	600
Soft Whisper	601
Cinnamon	602
Honey	287
Golden Oak	124
Bordeaux	125
Frost	282
Blanc	26
Husk	133
Syrup	134
Ivory	12
Sterling	401
Colonial Oak	316
Mocha	295
Honey Wheat	315
Antique	299
Moonlight	301
Cosmic	284
Colonial	117
Midnight	400
Storm	296
Pure	13
Pecan	318
Powder	300
Sunset	288

2" Coastal

	COLOR #
Whitewash	900
Cabin	901
Cask	902
Driftwood	903
Barnwood	904
Glacier	806
Shoreline	803

2 3/8" Smooth Wood

	COLOR #
Ivory	12
Pure	13
Blanc	26
Frost	282
Powder	300

// 2" Smooth Wood Blinds

2" SMOOTH FINISH - 3" Standard Decorative Valance Included in Price

Note: Blinds over 50 sq. ft. require 2 on 1 Headrail. Refer to chart below for all min/max size specifications

Height to:	Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
	30"	182	191	200	211	225	239	260	273	291	301	315	334	349	363	378
36"	191	198	211	219	238	256	272	293	310	322	337	357	375	390	408	
42"	198	207	216	229	246	266	288	308	321	341	355	376	394	411	430	
48"	207	214	225	238	261	276	299	321	342	362	376	400	419	438	459	
54"	215	218	234	245	267	290	313	337	357	374	392	416	439	459	482	
61"	224	229	241	258	283	301	326	351	374	399	415	441	465	486	510	
66"	229	235	248	266	291	315	341	367	391	415	432	460	484	507	533	
73"	239	243	261	275	301	325	357	386	411	435	455	484	510	534		
78"	246	249	267	284	312	338	367	399	423	450	470	503	530			
84"	255	258	273	293	321	348	385	416	443	471	493	525				
90"	263	267	286	301	337	366	400	433	462	492	515					
96"	271	275	292	312	346	374	412	447	476	509						
102"	280	283	299	320	358	391	427	464	495							
108"	286	290	309	331	367	397	439	476	512							
114"	294	299	318	341	376	415	450	494								
120"	302	306	321	345	390	424	465	509								
126"	311	313	334	358	397	439	476									

Available Colors:

Gray Owl*, Soft Whisper*, Cinnamon*, Honey, Golden Oak, Bordeaux, Frost, Blanc, Husk, Syrup, Ivory, Sterling, Colonial Oak, Mocha, Honey Wheat, Antique, Moonlight, Cosmic, Colonial, Midnight, Storm, Pure, Pecan, Powder, Sunset

*coming soon

CLOTH TAPE SURCHARGE

Note: See Tape section for sizes & availability. Tapes are NOT available with Lights Out feature, Cordless or Cordless Lift & Lock™.

Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$58	\$64	\$64	\$64	\$71	\$72	\$79	\$80	\$87	\$87	\$93	\$93	\$100	\$101	\$114
Decorative	\$79	\$95	\$96	\$96	\$113	\$113	\$130	\$131	\$149	\$149	\$166	\$166	\$177	\$184	\$201

NO CHARGE OPTIONS

3" Modern Valance
 Lights out Routless Feature (cordlock only)
 Controls (grouped or split)
 Hold Down Brackets
 Tile Cut Out* (not available with cordless lift & lock)
 Spacer Blocks (3/8" & 3/4")

Extension Brackets (long & Short)
 Cord or Wand Tilt
 Optional Wand & Cord Lengths
 2 on 1 Headrail - price each blind separately
 Side by Side*

* Not available in the Lights Out feature

* Guaranteed within 1/4" when requested at time of order.

EXTRA CHARGE OPTIONS

Cordless Lift & Lock™ System*	Add \$102 each	Keystone Valance Option	Add \$14 each
Cordless Lift System*	Add \$87 each	Tape Valance	Add \$14 each
Blinds Under 12" Wide	Add \$20 each		

* Not available in the Lights Out feature

Please see Terms of Sale & Freight / Repair Charges for additional freight and shipping charge information.

Specifications	2" Standard	2" Cordless Lift	2" Cordless Lift & Lock™	2" or Somfy Automation w/ Standard Lift*	2" or Somfy Automation w/ Cordless Lift*
2" & 2-1/2" Blinds					
Minimum Width (tilt only centered)	8"	n/a	n/a	n/a	n/a
Minimum Width (net)	8"	18"	10-1/2"	20"	20"
Maximum Width (one blind)	102"	78"	96"	96"	78"
Minimum Height (solid or decorative tape)	12"	n/a	n/a	12"	n/a
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Maximum AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	n/a	120"	n/a	n/a
Maximum Continuous Valance Width (not spliced)	102"				

Blinds over max sq/ft require 2 on 1 headrail (where available) *Automation is not available with Cordless Lift & Lock.

// 2" Coastal Wood Blinds

2" COASTAL - 3" Modern Valance Included in Price

Note: Blinds over 50 sq. ft. require 2 on 1 Headrail. Refer to chart below for all min/max size specifications

Height to:	Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
	30"	211	215	217	230	249	270	286	304	321	347	365	386	406	424	443
36"	225	228	233	246	267	290	309	330	348	375	396	420	441	462	485	
42"	235	238	243	258	282	306	326	348	369	397	418	447	469	492	514	
48"	248	252	256	275	300	327	348	374	397	427	450	478	504	529	556	
54"	260	263	268	288	315	344	367	394	419	448	474	503	531	558	587	
61"	273	279	282	303	334	365	390	419	447	476	504	536	567	595	625	
66"	283	289	292	316	347	380	408	438	467	497	528	561	594	623	656	
73"	299	303	308	332	366	402	431	465	495	525	558	595	630	662		
78"	309	313	319	345	380	419	449	484	516	547	581	621	656			
84"	322	327	332	362	399	439	471	509	544	577	613	654				
90"	336	341	346	376	418	460	495	534	571	605	643					
96"	346	351	357	388	431	475	512	552	591	624						
102"	359	366	372	405	449	496	535	578	619							
108"	372	376	381	416	462	513	551	596	641							
114"	384	390	395	432	482	533	576	622								
120"	395	400	406	443	495	549	593	641								
126"	409	413	420	460	513	569	615									

Available Colors:

Whitewash*, Cabin*, Cask*, Driftwood*, Barnwood*, Glacier, Shoreline

*coming soon

CLOTH TAPE SURCHARGE

Note: See Tape section for sizes & availability. Tapes are NOT available with Lights Out feature, Cordless or Cordless Lift & Lock™.

Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$58	\$64	\$64	\$64	\$71	\$72	\$79	\$80	\$87	\$87	\$93	\$93	\$100	\$101	\$114
Decorative	\$79	\$95	\$96	\$96	\$113	\$113	\$130	\$131	\$149	\$149	\$166	\$166	\$177	\$184	\$201

NO CHARGE OPTIONS

3" Modern Valance
 Lights out Routless Feature (cordlock only)
 Controls (grouped or split)
 Hold Down Brackets
 Tile Cut Out* (not available with cordless lift & lock)
 Spacer Blocks (3/8" & 3/4")

Extension Brackets (long & Short)
 Cord or Wand Tilt
 Optional Wand & Cord Lengths
 2 on 1 Headrail - price each blind separately
 Side by Side*

* Not available in the Lights Out feature

* Guaranteed within 1/4" when requested at time of order.

EXTRA CHARGE OPTIONS

Cordless Lift & Lock™ System*	Add \$102 each	Keystone Valance Option	Add \$14 each
Cordless Lift System*	Add \$87 each	Tape Valance	Add \$14 each
Blinds Under 12" Wide	Add \$20 each		

* Not available in the Lights Out feature

Please see Terms of Sale & Freight / Repair Charges for additional freight and shipping charge information.

Specifications	2" Standard	2" Cordless Lift	2" Cordless Lift & Lock™	2" or Somfy Automation w/ Standard Lift*	2" or Somfy Automation w/ Cordless Lift*
2" & 2-1/2" Blinds					
Minimum Width (tilt only centered)	8"	n/a	n/a	n/a	n/a
Minimum Width (net)	8"	18"	10-1/2"	20"	20"
Maximum Width (one blind)	102"	78"	96"	96"	78"
Minimum Height (solid or decorative tape)	12"	n/a	n/a	12"	n/a
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Maximum AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	n/a	120"	n/a	n/a
Maximum Continuous Valance Width (not spliced)	102"				

Blinds over max sq/ft require 2 on 1 headrail (where available) *Automation is not available with Cordless Lift & Lock.

// 2-3/8" Wood Blinds

2-3/8" SMOOTH FINISH - 3" Modern Valance Included in Price

Note: Blinds over 50 sq. ft. require 2 on 1 Headrail. Refer to chart below for all min/max size specifications

Height to:	Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
	30"	238	249	260	271	289	303	327	342	357	374	391	408	427	443	459
36"	247	258	271	281	302	318	344	359	377	394	413	433	454	473	490	
42"	252	265	277	289	310	329	355	374	391	409	431	450	471	493	513	
48"	260	273	286	300	323	342	372	391	411	431	455	475	497	523	542	
54"	268	281	295	310	335	357	387	409	431	452	476	501	526	551	572	
61"	275	290	306	322	348	372	405	429	450	474	502	528	553	580	604	
66"	282	299	315	332	362	386	420	445	470	495	525	552	580	609	634	
73"	289	308	325	342	375	401	438	464	490	519	549	578	607	639		
78"	294	312	331	349	383	410	448	475	506	534	567	595	625			
84"	302	322	341	362	395	423	465	494	525	553	589	621				
90"	309	330	351	372	409	439	482	514	545	577	614					
96"	316	338	359	383	420	454	497	533	566	598						
102"	325	347	369	392	433	467	515	550	585							
108"	336	355	380	404	445	483	533	568	604							
114"	341	362	386	411	455	493	542	580								
120"	351	368	395	421	467	509	560	599								
126"	359	377	405	432	480	528	576									

Available Colors:

Ivory, Pure, Blanc, Frost, Powder

CLOTH TAPE SURCHARGE

Note: See Tape section for sizes & availability. Tapes are NOT available with Lights Out feature, Cordless or Cordless Lift & Lock™.

Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$58	\$64	\$64	\$64	\$71	\$72	\$79	\$80	\$87	\$87	\$93	\$93	\$100	\$101	\$114
Decorative	\$79	\$95	\$96	\$96	\$113	\$113	\$130	\$131	\$149	\$149	\$166	\$166	\$177	\$184	\$201

NO CHARGE OPTIONS

3" Modern Valance
 Lights out Routless Feature (cordlock only)
 Controls (grouped or split)
 Hold Down Brackets
 Tile Cut Out* (not available with cordless lift & lock)
 Spacer Blocks (3/8" & 3/4")
 * Not available in the Lights Out feature

Extension Brackets (long & Short)
 Cord or Wand Tilt
 Optional Wand & Cord Lengths
 2 on 1 Headrail - price each blind separately
 Side by Side*

* Guaranteed within 1/4" when requested at time of order.

EXTRA CHARGE OPTIONS

Cordless Lift & Lock™ System*	Add \$102 each	Keystone Valance Option	Add \$14 each
Cordless Lift System*	Add \$87 each	Tape Valance	Add \$14 each
Blinds Under 12" Wide	Add \$20 each		

* Not available in the Lights Out feature

Please see Terms of Sale & Freight / Repair Charges for additional freight and shipping charge information.

Specifications	2" Standard	2" Cordless Lift	2" Cordless Lift & Lock™	2" or Somfy Automation w/ Standard Lift*	2" or Somfy Automation w/ Cordless Lift*
2" & 2-1/2" Blinds					
Minimum Width (tilt only centered)	8"	n/a	n/a	n/a	n/a
Minimum Width (net)	8"	18"	10-1/2"	20"	20"
Maximum Width (one blind)	102"	78"	96"	96"	78"
Minimum Height (solid or decorative tape)	12"	n/a	n/a	12"	n/a
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Maximum AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	n/a	120"	n/a	n/a
Maximum Continuous Valance Width (not spliced)	102"				

Blinds over max sq/ft require 2 on 1 headrail (where available) *Automation is not available with Cordless Lift & Lock.

// Wood Blinds

Automation consists of a **motor, power source, and controller**. Be sure all of these elements are included when determining final price.

SOMFY RF MOTORIZED OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

Note: Charger is required to charge the shades

RF - Tilt Only 50 WireFree™ RTS	\$551
RF - Situo® 1 Remote in Pure - 1 Channel	\$164
RF - Remote Control Unit - 5 Channel	\$260
RF - Telis 16 Remote - 16 Channel	\$551
RF -T elis 1 Chronis Timer Remote	\$595
RF - Smoove® 1 Surface Mounted Wall Switch - 1 Channel (Includes Pure Frame)	\$331
RF - Smoove® 4 Surface Mounted Wall Switch - 4 Channel (Includes Pure Frame)	\$359
RF -Smoove® Frame - Silver	\$56
RF -Smoove® Frame - Black	\$56
RF - DecoFlex WireFree™ Wall Switch - 1 Channel - White	\$303
RF - DecoFlex WireFree™ Wall Switch - 5 Channel - White	\$326

SOMFY RF ACCESSORIES OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

Li-Ion Rechargeable Battery Pack	\$224
WireFree™ Li-Ion Battery Pack Charger with 80" Cable	\$74
Li-Ion 8" Charger Extension Cable	\$26
Li-Ion 94.4" Charger Extension Cable	\$53
Plug-In Transformer 12v DC, 10' Cord	\$230
Reloadable Batter Wand, empty (requires 8 AA Lithium batteries)	\$139
Dual Reloadable Batter Wand, empty w/ connecting cable (each requires 8 AA Lithium batteries)	\$276
10" Battery Wand Extension Cable	\$18
48" Battery Wand Extension Cable	\$22
96" Battery Wand Extension Cable	\$24

Notes: When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote. Automation systems require a REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. Somfy Automation requires both a remote and power supply. Please specify when ordering.

INDIVIDUAL VALANCE ORDERING & PRICING

2" & 2-3/8" WOOD COLOR NAMES	Color Number		
	3" Modern	3" Standard Decorative	
Gray Owl	600	•	•
Soft Whisper	601	•	•
Cinnamon	602	•	•
Whitewash	900	•	
Cabin	901	•	
Cask	902	•	
Driftwood	903	•	
Barnwood	904	•	
Honey	287	•	•
Golden Oak	124	•	•
Bordeaux	125	•	•
Frost	282	•	•
Blanc	26	•	•
Husk	133	•	•
Syrup	134	•	•
Ivory	12	•	•
Sterling	401	•	•
Colonial Oak	316	•	•
Mocha	295	•	•
Honey Wheat	315	•	•
Antique	299	•	•
Moonlight	301	•	•
Cosmic	284	•	•
Colonial	117	•	•
Midnight	400	•	•
Storm	296	•	•
Pure	13	•	•
Pecan	318	•	•
Powder	300	•	•
Sunset	288	•	•
Glacier	806	•	
Shoreline	803	•	



Standard Decorative - 3" Profile
• Standard on all Smooth Finishes



Modern Valance - 3" Profile
• Standard on all Specialty Finishes
• Optional for all styles

INDIVIDUAL VALANCE

Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Std Deco, Creseent Modern	\$44	\$46	\$50	\$53	\$56	\$61	\$70	\$74	\$79	\$84	\$89	\$96	\$101	\$105	\$105	\$110	\$116	\$121	\$128	\$134
4" Forte	\$50	\$56	\$61	\$66	\$74	\$83	\$93	\$100	\$109	\$116	\$124	\$135	\$143	\$151	\$151	\$160	\$169	\$178	\$182	\$190

NOTE: The maximum continuous valance width is 102". Valances over the maximum width will be spliced in the center.

KEYSTONE VALANCE OPTION

Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

Valances under 102"


A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.

Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes:

The addition of a keystone will not affect the overall width of the valance.
The color of the keystone will match valance.



VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

VALANCE ORDERING

Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"* (Minimum 2 splices)

Notes:

- Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.

RETURN LENGTHS

Inside Mount Blind		3" Valance Standard, Decorative, Modern		Outside Mount Blind		3" Valance Standard, Decorative, Modern	
		Minimum	Maximum			Minimum	Maximum
Cordlock,	2"	1/2"	6"	Cordlock,	2"	3"	6"
Cordless Lift & Lock™	2 1/2"	1/2"	6"	Cordless Lift & Lock™	2 1/2"	3 3/8"	6"


ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

3/8" Spacer Blocks (Small)	3-3/8"
3/4" Spacer Blocks (Large)	3-3/4"
3-7/8" Extension Brackets (Short)	4-1/4"
5-7/8" Extension Brackets (Long)	6-1/4"

Notes:

- *3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



Order Configuration		How Valance Will Be Produced
RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	1" Wider than ordered size (no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS	IB	Valance will be exact size of continuous valance measurement
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS with RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

- Made from a poly/cotton blend
- Resists fading or shrinking
- Lifetime Guarantee
- Decorative tapes are attached to a solid colored tape ladder. This ladder is slightly narrower than the width of the decorative ladder.
- The solid colored ladder is pre-selected. (see chart below)
- An adhesive is used to attach the decorative tape.
- The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible.

Solid Tapes

1-1/2" Solid Tape	Color Number
Alabaster	8113
Black	8899
Chocolate	8376
Dark Beige	8323
Dark Gray	8850
Light Beige	8322
Light Gray	8861
Pecan	8334
Steel	8867
Taupe	8302
White	8100

Decorative Tapes

1-1/2" Deco Tape	Color Number	Attached To
Dublin	6200	Alabaster
Hampton White	9000	White
Ivory Accent	911	Alabaster
Knit Canvas	4300	Alabaster
Knit Gray	4302	Light Gray
Knit Taupe	4301	Taupe
White Accent	910	White
1-1/4" Deco Tape	Color Number	Attached To
Stonewash Cocoa	5003	Light Beige
Stonewash Espresso	5005	Chocolate
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster

Solid and Decorative Tapes are not available with:

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™

PRODUCT SPECIFICATIONS

Features	2" Smooth	2" Specialty	2-3/8"
# of colors	25	7	5
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024	.024
Bracket Style	Box	Box	Box
Bottomrail - Standard/Cordless Lift	Trapezoid	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock	Vinyl	Vinyl	Vinyl
Ladder Space Between Slats	44 mm	44 mm	54 mm
Wand Tilt	Yes	Yes	Yes
Decorative Valance	Yes - 3"	Yes - 3"	Yes - 3"
Valance Return Length (standard for OB mounts)	3"	3"	3-5/8"
Magnetic Valance Attachment System	Yes	Yes	Yes
Decorative Wood Tassel	Yes	Yes	Yes
Breakaway Stop Ball -not required with Cordless Lift/Cordless Lift & Lock	Yes	Yes	Yes
Warranty (tilt motor systems are warranted for 5 years)	Lifetime Limited	Lifetime Limited	Lifetime Limited

Options & Upgrades

Cordless Lift -not available with tapes/Lightsout Routeless feature	Yes	Yes	Yes
Cordless Lift & Lock -not available with tapes/Lightsout Routeless feature	Yes	Yes	Yes
Somfy Automation Systems -not available with Cordless Lift & Lock	Yes	Yes	Yes
Cordless Lift Systems PLUS Automation	Yes	Yes	Yes
LightsOut Routeless Slats -not available with tapes/LightsOut Routeless feature	Yes	Yes	Yes
2-on-1 Headrail	Yes	Yes	Yes
Tapes -not available with Cordless Lift/Cordless Lift & Lock/LightOut	Yes	Yes	Yes
Modern Valance	Yes	Yes	Yes
Keystone Valance			

Control/Mounting Options

Cordless Tilt (single blind)	Yes	Yes	Yes
Control Positions (single blind)	LR, RL or grouped	LR, RL or grouped	LR, RL or grouped
Tilt Control Position - Cordless Lift	L (only)	L (only)	L (only)
Tilt Control Position - Cordless Lift & Lock (single blind)	L or R	L or R	L or R
Tilt Control Position - Somfy Automation (motor will be on opposite side)	L or R	L or R	L or R
Tile Cut-out(s) -not available with cordless lift & lock	Yes	Yes	Yes
Spacer Blocks (3/8' and 3/4" depths)	Yes	Yes	3/8" Standard
Extension Brackets (short & long)	Yes	Yes	Yes
Hold-down brackets -not available with 2-3/8" cordless lift & lock	Yes	Yes	Yes

	Width (NET)	Right Blind		
		Lift Cord	Wand Tilt	Lift Cord
2-on1 Cordlock with Wand Tilt	8" to 11-7/8"	n/a	C (only)	n/a
	12" to 18"	L (only)	L (only)	R (only)
	18-1/8" or more	L (only)	L or R	R (only)
2-on1 Cordlock with Cord Tilt	8" to 11-7/8"	n/a	n/a	n/a
	12" to 18"	n/a	n/a	n/a
	18-1/8" or more	L (only)	R (only)	R (only)
2-on1 Lift & Lock with Wand Tilt		Wand Tilt		
	10-1/2" to 12-3/8" 12-1/2" or more	C (only) L or R		
2-on1 Lift & Lock with Cord Tilt		Cord Tilt		
	10-1/2" to 12-3/8" 12-1/2" or more	C (only) R (only)		

Footnotes

1 The Lightsout configuration may cause slight "puckering" of the lift cords on the front of the blind when the slats are tilted backwards (reverse tilt) due to the interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering. The slats on Lightsout routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will be notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" from the end of the slat.

2 There will be a 1/2" maximum light gap between multiple blinds on 1 headrail, 2 on 1 headrail not available with the automation upgrades.

3 Wood tone blinds will include Antique brass tape clamps and white/neutral tone blinds will include white tape clamps on the bottomrail.

SIZE SPECIFICATIONS

Specifications	2" Standard	2" Cordless Lift	2" Cordless Lift & Lock™	2" Somfy Automation w/ Standard Lift*	2" Somfy Automation w/ Cordless Lift*
2" & 2-1/2" Blinds					
Minimum Width (net)	8" 12" with tapes	18" tapes n/a	10-1/2" tapes n/a	20" tapes n/a	20" tapes n/a
Maximum Width (one blind)	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Maximum AREA (SQ/FT)	50 sq/ft	45 sq/ft	45 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	n/a	120"	n/a	n/a
Maximum Continuous Valance Width (not spliced)	102"				

Specifications	2" Standard	2" Cordless Lift	2" Cordless Lift & Lock™	2" Somfy Automation w/ Standard Lift*	2" Somfy Automation w/ Cordless Lift*
2" & 2-1/2" Blinds					
Minimum Width (net)	12" 12" with tapes	18" tapes n/a	10-1/2" tapes n/a	20" tapes n/a	20" tapes n/a
Maximum Width (one blind)	102"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"	84"
Maximum AREA (SQ/FT)	50 sq/ft	45 sq/ft	50 sq/ft	50 sq/ft	45 sq/ft
Maximum Width 2 on 1 Headrail	120"	n/a	120"	n/a	n/a
Maximum Continuous Valance Width (not spliced)	102"				

*Automation is not available with Cordless Lift & Lock.

Footnote

1 The headrail width has a 1/2" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width ¹	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance (measured from inside corners ¹)	+ 1"
2 on 1 Headrail	
Gap between panels	- 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 2":	3-1/2"
Minimum mounting depth, flush mount - 2-3/8":	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

CONTROL CHARTS / COMPONENTS – STANDARD

TILT WAND (STANDARD)

- Wood tilt wands are **color coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override – specify length when ordering

Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 96"

Wood Wands up to 48" long. Clear plastic in 60", 72", 84". Wand length optional. Specify optional lengths when ordering.

TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 10". For blinds under 15" in height, a cord length override to at least 10" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- For motorized tilt blinds the tilt function is controlled by remote unit

CONTROL POSITIONS:	Min. Width (NET)
Tilt Cord center and no Lift Cord*	Under 12"
Tilt Cord left / Lift Cord right (standard)	12"
Lift Cord left / Tilt Cord right	12"
Tilt & Lift Cords <i>grouped left</i>	18-1/8"
Tilt & Lift Cords <i>grouped right</i>	18-1/8"

* Available on 2" blinds only

Lift Cord Control – Standard lift cord length is 40% of the blind height as required by child safety standards. Customized lengths are available upon request.

LADDER / TAPE PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

2" WOOD		
Blind Width	# of Ladders	# of Routes
8" - 36"	2	2
36 1/8" - 56 1/4"	3	2
56 3/8" - 78 1/4"	4	4
78 3/8" - 100 1/4"	5	4
100 3/8" - 102"	6	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
8" - 36"	2	2
36 1/8" - 52"	3	2
52 1/8" - 72"	4	4
72 1/8" - 92"	5	4
92 1/8" - 102"	6	4

**Routes are positioned approximately 2" from the end of the slat for blinds less than 12" wide, 3-3/4" from the end of the slat for blinds less than 18" wide, and 6 1/4" from the end of the slat for all others. Blinds with motorization have routes 6-5/8" from end of slat.

STACK-UP CHART (APPROXIMATE)

- $Headrail + Bottomrail = 2-1/2"$

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"

2-3/8" WOOD	
+ 2 1/2"	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
96"	6 1/4"


PLUS 2-1/2"

PLUS 2-1/2"

BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.



BOTTOMRAIL

- **Trapezoid** bottomrails are standard on wood blinds

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating). It also accommodates a smaller flat 1" tape clamp when solid or decorative tapes are ordered.



NOTE: Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.

SQUARE FOOTAGE SPECIFICATIONS

		2" WOOD															
WIDTH TO:		24	28	32	36	42	48	54	60	66	72	78	84	90	96		
HEIGHT TO:	30	5	6	7	8	9	10	11	13	14	15	16	18	19	20		
	36	6	7	8	9	11	12	14	15	17	18	20	21	23	24		
	42	7	8	9	11	12	14	16	18	19	21	23	25	26	28		
	48	8	9	11	12	14	16	18	20	22	24	26	28	30	32		
	54	9	11	12	14	16	18	20	23	25	27	29	32	34	36		
	61	10	12	14	15	18	20	23	25	28	31	33	36	38	41		
	66	11	13	15	17	19	22	25	28	30	33	36	39	41	44		
	73	12	14	16	18	21	24	27	30	33	37	40	43	46	49		
	78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A		
	84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A		
	90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A		
	96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A		

Max Square Footage 50

		2-3/8" WOOD															
WIDTH TO:		24	28	32	36	42	48	54	60	66	72	78	84	90	96		
HEIGHT TO:	30	5	6	7	8	9	10	11	13	14	15	16	18	19	20		
	36	6	7	8	9	11	12	14	15	17	18	20	21	23	24		
	42	7	8	9	11	12	14	16	18	19	21	23	25	26	28		
	48	8	9	11	12	14	16	18	20	22	24	26	28	30	32		
	54	9	11	12	14	16	18	20	23	25	27	29	32	34	36		
	61	10	12	14	15	18	20	23	25	28	31	33	36	38	41		
	66	11	13	15	17	19	22	25	28	30	33	36	39	41	44		
	73	12	14	16	18	21	24	27	30	33	37	40	43	46	49		
	78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A		
	84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A		
	90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A		
	96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A		

Max Square Footage 50

CONTROL CHARTS – CORDLESS

CONTROLS

- Tilt cords are **color coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 10". For blinds under 15" in height, a cord length override to at least 10" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- LIFT** function is controlled from the bottom rail

TILT CONTROL POSITIONS - LEFT ONLY

Tilt Wand (Standard), Tilt Cords (Optional) or Motorization (Optional)

Min. Width
18"
20" with motorized Tilt

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

2" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 38-1/8"	2	2
38-1/4" - 60-1/8"	3	2
60-1/4" - 78"	4	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 36"	2	2
36-1/8" - 60-1/8"	3	2
60-1/4" - 78"	4	4

**Routes are positioned approximately 6 1/4" from the end of the slat for blinds less than 38 1/4" wide, and 8 1/4" from the end of the slat for all others, and 6-5/8" for blinds with motorization

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

PLUS	2-1/2"
-------------	---------------

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS	2-1/2"
-------------	---------------

SQUARE FOOTAGE SPECIFICATIONS

2" & 2 3/8" WOOD

WIDTH											
TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT											
TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40
78	13	15	17	20	23	26	29	33	36	39	42
84	14	16	19	21	25	28	32	35	39	42	N/A

Max Square Footage 45

CONTROL CHARTS – SOMFY MOTOR SYSTEM

CONTROLS

- Tilt cords are **color coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 10". For blinds under 15" in height, a cord length override to at least 10" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- **LIFT** function is controlled from the bottom rail

TILT CONTROL POSITIONS - LEFT ONLY

Tilt Wand (Standard), Tilt Cords (Optional) or Motorization (Optional)

Min. Width
18"
20" with Motorized Tilt

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the NET width of the blind.

2" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 38-1/8"	2	2
38-1/4" - 60-1/8"	3	2
60-1/4" - 78"	4	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 36"	2	2
36-1/8" - 60-1/8"	3	2
60-1/4" - 78"	4	4

**Routes are positioned approximately 6 1/4" from the end of the slat for blinds less than 38 1/4" wide, and 8 1/4" from the end of the slat for all others, and 6-5/8" for blinds with motorization

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- *Headrail+Bottomrail = 2-1/2"*

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS	2-1/2"
-------------	---------------

PLUS	2-1/2"
-------------	---------------

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override – specify length when ordering

2" & 2-3/8" WOOD	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 84"



Wood Wands up to 48" long. Clear plastic in 60", 72" or 84". Wand length optional. Specify optional lengths when ordering.

TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 10". For blinds under 15" in height, a cord length override to at least 10" must be requested.
 - For 2-3/8" blinds, minimum cord length is 10". For blinds under 24-

- For cordless **Lift & Lock** the lift function is controlled by the bottomrail

CONTROL POSITIONS:

- Tilt Cord center **ONLY**
- Tilt Left or Right **ONLY**

Min. Width (NET)

10-1/2" to 12-3/8"
12-1/2" and more

LADDER PLACEMENT CHART

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
10-1/2" - 36"	2	2
36-1/8" - 56"	3	2
56-1/8" - 78"	4	4
78 1/8" - 96"	5	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 19 3/4" wide, and 6" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

- Headrail+Bottomrail = 2-1/2"

The charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"

PLUS 2-1/2"

PLUS 2-1/2"

BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A **2" deep by 1" tall faux bottomrail** is standard
- Bottom rail colors are pre-selected. Color matched to slat color. Hardware override is not available
- Color coordinated end caps



SQUARE FOOTAGE SPECIFICATIONS

		2" WOOD															
WIDTH TO:		24	28	32	36	42	48	54	60	66	72	78	84	90	96		
HEIGHT TO:																	
30		5	6	7	8	9	10	11	13	14	15	16	18	19	20		
36		6	7	8	9	11	12	14	15	17	18	20	21	23	24		
42		7	8	9	11	12	14	16	18	19	21	23	25	26	28		
48		8	9	11	12	14	16	18	20	22	24	26	28	30	32		
54		9	11	12	14	16	18	20	23	25	27	29	32	34	36		
61		10	12	14	15	18	20	23	25	28	31	33	36	38	41		
66		11	13	15	17	19	22	25	28	30	33	36	39	41	44		
73		12	14	16	18	21	24	27	30	33	37	40	43	N/A	N/A		
78		13	15	17	20	23	26	29	33	36	39	42	N/A	N/A	N/A		
84		14	16	19	21	25	28	32	35	39	42	N/A	N/A	N/A	N/A		

Max Square Footage 45

		2-3/8" WOOD															
WIDTH TO:		24	28	32	36	42	48	54	60	66	72	78	84	90	96		
HEIGHT TO:																	
30		5	6	7	8	9	10	11	13	14	15	16	18	19	20		
36		6	7	8	9	11	12	14	15	17	18	20	21	23	24		
42		7	8	9	11	12	14	16	18	19	21	23	25	26	28		
48		8	9	11	12	14	16	18	20	22	24	26	28	30	32		
54		9	11	12	14	16	18	20	23	25	27	29	32	34	36		
61		10	12	14	15	18	20	23	25	28	31	33	36	38	41		
66		11	13	15	17	19	22	25	28	30	33	36	39	41	44		
73		12	14	16	18	21	24	27	30	33	37	40	43	N/A	N/A		
78		13	15	17	20	23	26	29	33	36	39	42	46	49	N/A		
84		14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A		

Max Square Footage 50

Sonoran

WOOD
BLIND COLLECTION

www.bddinc.com

Tucson	520.327.0123
Phoenix	602.243.9798
Salt Lake City	801.467.5065
Albuquerque	505.880.0883
Las Vegas	702.369.5333