



SONORAN

FAUX WOOD BLIND
COLLECTION

May 2024 | Product Reference & Price Guide

Prices subject to change without notice.

v5.24

TABLE OF CONTENTS

Terms of Sale & Freight

- Terms of Sale & Freight/Repair Charges2

Product Overview

- Color Charts3

Faux Wood

- 2" & 2-1/2" Faux - Whites & Neutrals Price Chart and Surcharges4
- 2" Faux Premium Grains I Price Chart and Surcharges5
- 2" Faux - Premium Grains II Price Chart and Surcharges6
- 2" Faux - AMP and Somfy Automation Surcharges7

Valance Information

- Individual Valance ordering and Color Chart8
- Valances and Valance Return Information and Specifications9

Product and Specifications

- Product Specifications10
- Size Specifications, Finished Dimensions and Mounting Requirements11

Controls, Components, Ladder/Tape Placement & Stack-up Charts

- Cordless XL12
- Cordless13
- Cordless Lift & Lock™14
- AMP and Somfy Automation15

Warranty

- Limited Product Warranty16

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

TERMS OF SALE & FREIGHT / REPAIR CHARGES

PRICE QUOTATION

All Faux Wood Collection products are priced FOB San Diego, CA and do not include freight.

All prices subject to change without notice.

To ensure order accuracy, please use the Faux Wood Collection order form. The blank order form can be found at the back of the price book. Make copies to create additional blank order forms.

CANCELLATION OR CHANGE ORDER

IMPORTANT! Due to the custom nature of our products, we cannot accept changes or cancellations after orders have been put into production.

LEAD TIME

Typically, orders (less than 15 units) are manufactured and shipped within 5 business days. All orders are subject to inventory availability. Orders placed after 3:30 p.m. EST are considered as next day business.

ORDER TRACKING & ORDER STATUS

Order confirmations are sent via email within 24 hours of placing order. Please make sure you have your email on file with BDD. To track your order or check the status of your order, please contact customer service and provide them with the work order number.

STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES

\$8.00 for each blind

Oversize (90" and above) \$50 each blind, \$80 Minimum

For express shipment, shipment to Alaska, Hawaii and foreign countries, freight will be quoted separately. Freight collect orders and using a preferred carrier is optional.

Next Day, 2nd Day Air and 3 Day select shipping options are available - actual freight will be applied.

FREIGHT DAMAGE & SHORTAGES

Please inspect all shipments immediately and carefully. Please report damages and shortages on the delivery receipt and notify BDD customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.

COLOR CHART

2" SMOOTH

WHITES & NEUTRALS	COLOR #
SNOW WHITE	401
PEARL	403
EGGSHELL	404
ALABASTER	452
PEBBLE	428
GRANITE	426
CLOUD	451
EMBOSSSED SNOW WHITE	E501
EMBOSSSED PEARL	E503

2" PRINTED (Premium Grain I)

WHITES & NEUTRALS	COLOR #
SEASPRAY	75
ASHWOOD	76
DRIFTWOOD	77
FROSTED OAK	73
GRAYSTONE	74
GRAY WASH	78

2" WOODGRAIN (Premium Grain II)

WHITES & NEUTRALS	COLOR #
HONEY	PG700
TEAK	PG701
TOBACCO	PG702
CEDAR	PG704
KONA	PG705

2 1/2" SMOOTH

WHITES & NEUTRALS	COLOR #
SNOW WHITE	901
PEARL	903
EGGSHELL	904
ALABASTER	952
PEBBLE	928
GRANITE	926
CLOUD	951

CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer a long lasting performance. A durable engineered polymer material is used for all colors with the exception of the darker colors in Premium Grain II. These Premium Grain darker colors; Early American, Colonial Maple, and Special Walnut are made of acrylic styrene acrylonitrile (ASA).

Faux wood blinds are not intended for installation near heat sources such as radiators, heat registers, and space heaters which can potentially compromise the integrity of the faux wood material. Airflow through the blind is also very important. Keeping slats closed for long periods of time and/ or using additional window treatments in front of or behind blinds can significantly increase the temperature the blinds are exposed to. These high temperatures (above 140°F / 60°C) may cause the slats to warp or twist.

// Cordless Faux Wood Blinds – 2" & 2-1/2"

2" & 2-1/2" WHITES AND NEUTRALS

Cordless XL and 3" Std Decorative Valance Included

2"

- 401 SNOW WHITE
- 403 PEARL
- 404 EGGSHELL
- 452 ALABASTER
- 428 PEBBLE
- 426 GRANITE
- 451 CLOUD
- E501 EMBOSSED SNOW WHITE
- E503 EMBOSSED PEARL

2-1/2"

- 901 SNOW WHITE
- 903 PEARL
- 904 EGGSHELL
- 952 ALABASTER
- 925 PEBBLE
- 926 GRANITE
- 951 CLOUD

Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
30"	\$132	\$147	\$156	\$174	\$184	\$208	\$224	\$257	\$274	\$298	\$316	\$335	\$361
36"	\$143	\$154	\$165	\$183	\$201	\$217	\$238	\$274	\$293	\$324	\$335	\$361	\$390
42"	\$152	\$165	\$179	\$200	\$214	\$235	\$259	\$297	\$317	\$345	\$369	\$393	\$426
48"	\$163	\$174	\$185	\$210	\$229	\$252	\$275	\$313	\$339	\$375	\$389	\$422	\$458
54"	\$174	\$192	\$210	\$233	\$254	\$275	\$306	\$345	\$375	\$405	\$433	\$460	\$496
61"	\$184	\$203	\$221	\$245	\$270	\$292	\$323	\$373	\$396	\$434	\$459	\$496	\$533
66"	\$195	\$212	\$231	\$264	\$281	\$311	\$341	\$391	\$423	\$466	\$489	\$526	\$568
73"	\$210	\$228	\$244	\$279	\$302	\$335	\$369	\$423	\$452	\$496	\$524	\$567	\$612
78"	\$217	\$237	\$259	\$291	\$316	\$345	\$385	\$442	\$479	\$523	\$551	\$593	
84"	\$228	\$245	\$273	\$308	\$335	\$369	\$407	\$463	\$503	\$554	\$581	\$614	
90"	\$237	\$259	\$281	\$323	\$349	\$385	\$424	\$484	\$524	\$579	\$594		
96"	\$244	\$273	\$298	\$335	\$369	\$405	\$449	\$510	\$550	\$607			

Refer to chart below for all min / max size specifications

NO CHARGE OPTIONS

- 3" Modern Valance
- 3" Crescent Valance
- Controls (L or R)
- Hold Down Brackets - not available on 2-1/2" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" & 3/4")
- Extension Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available on cordless lift & lock only (price each blind separately)
- Side by Side*

*Guaranteed within 1/4" when requested at the time of order.

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)

- Cordless Lift & Lock..... add \$98 each
- Cordless Lift System..... add \$123 each
- 4.5" Modern Valance * add \$19 each
- Keystone Valance (for blinds under 102") add \$18 each
- Blinds under 12" Wide add \$16

* Please see page 6 for available colors

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Cordless XL	Cordless Lift	Cordless Lift & Lock™	AMP Somfy Automation w/ Cordless Lift System
	2" & 2 - 1/2" Blinds			
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 11-7/8"	N/A	N/A	N/A
Minimum Width (Net)	12"	18"	10-1/2"	20"
Maximum Width (One Blind)	96"	78"	96"	78"
Minimum Height	12"	12"	12"	12"
Maximum Height	96"	72"	84"	72"
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (Not Spliced)	102"			
	Cordless XL	Cordless Lift	Cordless Lift & Lock™	AMP Somfy Automation w/ Cordless Lift System
2" Blinds - Max Area / Square Footage	49 sq/ft	40 sq/ft	40 sq/ft	40 sq/ft
2-1/2" Blinds Max Area / Square Footage	39 sq/ft	36 sq/ft	31 sq/ft	36 sq/ft

// Cordless Faux Wood Blinds – 2"

2" PREMIUM GRAINS I

Cordless XL and 3" Std Decorative Valance Included

- 75 SEASPRAY
- 76 ASHWOOD
- 77 DRIFTWOOD
- 73 FROSTED OAK
- 74 GRAYSTONE
- 78 GRAY WASH

Height to:	Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
	30"	\$155	\$169	\$182	\$202	\$223	\$243	\$266	\$307	\$337	\$357	\$386	\$408	\$441
36"	\$167	\$181	\$195	\$222	\$238	\$263	\$291	\$334	\$362	\$386	\$419	\$442	\$476	
42"	\$179	\$195	\$214	\$238	\$258	\$288	\$312	\$362	\$396	\$423	\$462	\$482	\$522	
48"	\$188	\$204	\$228	\$252	\$279	\$308	\$338	\$385	\$423	\$461	\$492	\$518	\$562	
54"	\$210	\$230	\$252	\$281	\$308	\$338	\$372	\$423	\$473	\$505	\$548	\$573	\$621	
61"	\$222	\$243	\$266	\$301	\$328	\$359	\$397	\$459	\$504	\$542	\$586	\$617	\$665	
66"	\$235	\$256	\$286	\$317	\$351	\$383	\$427	\$492	\$540	\$585	\$633	\$664	\$715	
73"	\$252	\$279	\$301	\$342	\$376	\$417	\$462	\$529	\$585	\$624	\$676	\$720	\$776	
78"	\$265	\$292	\$317	\$365	\$401	\$442	\$487	\$559	\$625	\$674	\$733	\$769		
84"	\$286	\$311	\$343	\$392	\$432	\$476	\$526	\$602	\$672	\$721	\$793	\$798		
90"	\$298	\$331	\$363	\$417	\$459	\$505	\$562	\$648	\$715	\$768	\$812			
96"	\$315	\$344	\$385	\$437	\$481	\$531	\$595	\$680	\$756	\$817				

Refer to chart below for all min / max size specifications

NO CHARGE OPTIONS

- 3" Modern Valance
- 3" Crescent Valance
- Controls (L or R)
- Hold Down Brackets - not available on 2-1/2" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" and 3/4")
- Extension Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available on cordless lift & lock only (price each blind separately)
- Side by Side*

*Guaranteed within 1/4" when requested at the time of order.

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)

- Cordless Lift & Lock* add \$98 each
- Cordless Lift System* add \$123 each
- Keystone Valance (for blinds under 102") add \$18 each
- Blinds under 12" Wide add \$16 each

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Automation			
	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	2" AMP or Somfy Automation w/ Cordless Lift System
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 11-7/8"	N/A	N/A	N/A
Minimum Width (Net)	12"	18"	10-1/2"	20"
Maximum Width (One Blind)	96"	78"	96"	78"
Minimum Height	12"	12"	12"	12"
Maximum Height	96"	72"	84"	72"
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	40 sq/ft	40 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (Not Spliced)	102"			

// Cordless Faux Wood Blinds – 2"

2" PREMIUM GRAINS II

Cordless XL and 3" Modern Valance Included

- PG700 HONEY
- PG702 TOBACCO
- PG701 TEAK
- PG704 CEDAR
- PG705 KONA

Height to:	Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
	30"	\$163	\$177	\$190	\$211	\$233	\$254	\$279	\$321	\$353	\$374	\$404	\$427	\$461
36"	\$174	\$189	\$205	\$232	\$251	\$275	\$303	\$349	\$378	\$404	\$437	\$461	\$498	\$545
42"	\$187	\$205	\$224	\$251	\$271	\$301	\$326	\$378	\$414	\$443	\$483	\$503	\$545	\$587
48"	\$196	\$213	\$237	\$264	\$293	\$321	\$354	\$403	\$443	\$482	\$517	\$542	\$587	\$648
54"	\$218	\$239	\$264	\$295	\$321	\$354	\$387	\$443	\$495	\$528	\$572	\$601	\$648	\$748
61"	\$232	\$254	\$278	\$315	\$343	\$376	\$415	\$479	\$527	\$566	\$613	\$645	\$694	\$811
66"	\$246	\$267	\$299	\$332	\$366	\$401	\$447	\$517	\$564	\$611	\$663	\$693	\$748	\$811
73"	\$264	\$293	\$315	\$358	\$393	\$435	\$483	\$552	\$611	\$651	\$707	\$752	\$811	\$811
78"	\$277	\$305	\$332	\$382	\$419	\$461	\$508	\$584	\$652	\$705	\$767	\$803	\$811	\$811
84"	\$299	\$324	\$359	\$408	\$450	\$498	\$549	\$628	\$702	\$753	\$827	\$835	\$811	\$811
90"	\$312	\$345	\$379	\$435	\$479	\$528	\$587	\$676	\$748	\$800	\$848	\$811	\$811	\$811
96"	\$329	\$360	\$403	\$457	\$503	\$557	\$623	\$711	\$791	\$854	\$811	\$811	\$811	\$811

Refer to chart below for all min / max size specifications

NO CHARGE OPTIONS

- Controls (L or R)
- Hold Down Brackets - not available on 2-1/2" cordless lift & lock
- Tile Cut-Out - available with cordless lift & lock only
- Spacer Blocks (3/8" and 3/4")
- Extension Brackets (Long & Short)
- Wand Tilt Only
- Optional Wand Lengths
- 2 on 1 Headrail - available on cordless lift & lock only (price each blind separately)
- Side by Side*

*Guaranteed within 1/4" when requested at the time of order.

SURCHARGE OPTIONS - SPECIFY ON ORDER (ADD COST TO BLIND)

- Cordless Lift & Lock* add \$98 each
- Cordless Lift System* add \$123 each
- Keystone Valance (for blinds under 102") add \$18 each
- Blinds under 12" Wide add \$16 each

Please see General Info. for additional freight and shipping charge information.

SIZE SPECIFICATIONS	Automation			
	2" Cordless XL	2" Cordless Lift	2" Cordless Lift & Lock™	2" AMP or Somfy Automation w/ Cordless Lift System
Minimum Width - Center Tilt (Tilt only, No lift)	8" - 11-7/8"	N/A	N/A	N/A
Minimum Width (Net)	12"	18"	10-1/2"	20"
Maximum Width (One Blind)	96"	78"	96"	78"
Minimum Height	12"	12"	12"	12"
Maximum Height	96"	72"	84"	72"
Max. AREA (SQ/FT)	49 sq/ft	40 sq/ft	40 sq/ft	40 sq/ft
Maximum Width 2 on 1 Headrail	N/A	N/A	120"	N/A
Maximum Continuous Valance Width (Not Spliced)	102"			

// Faux Wood Blinds

Automation consists of a **motor, power source, and controller**. Be sure all of these elements are included when determining final price.

AMP™ MOTORIZATION OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

Note: Charger or solar panel is required to charge the shades

AMP™ Tilt DC	\$210
AMP™ External Battery Pack	\$90
Plug In Charger Kit	\$32
AMP™ 15 Channel Remote	\$50
AMP™ Wall Switch	\$50
8" Charger Extension	\$6
48" Charger Extension	\$11
Magnetic Charging Kit	\$42
Magnetic Charging Kit - 90 degree	\$42
Magnetic Charging Tip	\$6
15v DC Distribution Power panel - 18 motor (Panel + power cord)	\$499
12v DC Plug In Transformer	\$42
AMP™ Bridge	\$100
Charging Block 5V/2A	\$11
48" Battery Pack Extension	\$6

SOMFY RF MOTORIZED OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

Note: Charger is required to charge the shades

Tilt Only 50 WireFree RTS	\$313
Situo 1 RTS	\$68
Situo 5 RTS	\$89
Telis 1 Chronis Remote	\$331
Smooove 1 RTS Wall Switch, Pure	\$126
Smooove 4 RTS Wall Switch	\$137
Silver Wall Switch Frame	\$24
Black Wall Switch Frame	\$24
DecoFlex WireFree RTS - 1 Channel, White	\$158
DecoFlex WireFree RTS - 5 Channel, White	\$179

SOMFY RF ACCESSORIES OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

Rechargeable Battery Pack	\$98
Li-Ion Battery Pack Charger	\$29
12v DC Power Supply	\$70
Reloadable Single Battery Wand, empty (requires 8 AA Lithium)	\$36
Reloadable Dual Battery Wand, empty w/ connecting cable (each)	\$84
10" Battery Wand Extension Cable	\$13
48" Battery Wand Extension Cable	\$13
96" Battery Wand Extension Cable	\$18
8" Charger Extension Cable	\$13
94.4" Charger Extension Cable	\$13

Notes: When ordering multiple motorized shades/remotes, please provide programming instructions. Otherwise, all shades will be programmed to one remote. Automation systems require a REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. Somfy Automation requires both a remote and power supply. Please specify when ordering.

INDIVIDUAL VALANCE ORDERING & PRICING

2" & 2-1/2" FAUX WOOD COLOR NAMES	Color Number				
		3" Modern	3" Standard Decorative	3" Crescent	4.5" Modern
Honey	PG700	•			
Ashwood	76	•	•	•	
Alabaster	952	•	•	•	•
Seaspray	75	•	•	•	
Tobacco	PG702	•			
Driftwood	77	•	•	•	
Teak	PG701	•			
Pebble	428	•	•	•	
Frosted Oak	73	•	•	•	
Eggshell	904	•	•	•	
Pearl	403	•	•	•	•
Cedar	PG704	•			
Graystone	74	•	•	•	
Snow White	901	•	•	•	•
Kona	PG705	•			
Gray Wash	78	•	•	•	
Textured Pearl	E903	•	•	•	•
Textured Snow White	E901	•	•	•	•
Cloud	951	•	•	•	•
Granite	926	•	•	•	

• NOTE: When ordering Textured Pearl or Textured Snow White all valances will be smooth.



4-1/2" Modern Valance

- Available in 10 colors
- Outside Mount only, mitered corners and returns
- Utilizes our magnetic valance clip
- Valance projects 1/2" to 5/8" above the headrail when installed
- Keystone not available
- Valance will be notched if ordered with a Cordless XL 2-1/2" blind

INDIVIDUAL VALANCE PRICING

Width:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Std Deco, Crescent, Modern	\$32	\$32	\$32	\$32	\$48	\$48	\$48	\$48	\$66	\$66	\$66	\$66	\$79	\$79	\$80	\$103	\$103	\$103	\$133	\$150
4.5" Modern	\$58	\$58	\$58	\$58	\$76	\$76	\$97	\$97	\$114	\$114	\$133	\$133	\$153	\$153	\$171	\$171	\$191	\$191	\$210	\$229



3" Standard Decorative




3" Crescent



3" Modern

Standard Decorative - 3" Profile
 Crescent Valance - 3" Profile (optional)
 Modern Valance - 3" Profile (Optional)
 Modern Valance - 4-1/2" (Optional)



VALANCE AND VALANCE RETURN INFORMATION AND SPECIFICATIONS

VALANCE ORDERING

Outside Mount	1" Added to valance, measured inside returns
Inside Mount	-1/8" (no returns)
Max Un-Spliced	102"
Max Spliced	168"* (Min 2 Splices)
Notes:	

- Valances are cut to measure inside miter to ensure the most accurate fit when installed over the headrail or window frame.

RETURN LENGTHS

Inside Mount Blind	3" Valance Standard Decorative • Crescent • Modern				4-1/2" Modern Valance				Outside Mount Blind	3" Valance Standard Decorative • Crescent • Modern			4-1/2" Modern Valance				
	Minimum		Maximum		Minimum		Maximum			Standard (Min. Recommended)		Maximum		Standard (Min. Recommended)		Maximum	
	Cordless XL	2" Faux	1/2"	6"	3/4"	6"	2" Faux	3"		6"	3-1/4"	6"	Cordless XL	2-1/2" Faux*	3-5/8"	6"	3-5/8"
Cordless Lift & Cordless Lift & Lock™	2" Faux	1/2"	6"	3/4"	6"	2" Faux	3"	6"	3-1/4"	6"	Cordless Lift & Cordless Lift & Lock™	2" Faux	3"	6"	3-1/4"	6"	
	2-1/2" Faux	1/2"	6"	3/4"	6"	2-1/2" Faux	3-3/8"	6"	3-5/8"	6"	Cordless Lift & Cordless Lift & Lock™	2-1/2" Faux	3-3/8"	6"	3-5/8"	6"	

**All valance profiles will be notched for better clearance. Please refer to Cordless XL Control Charts for an example of how valance is notched.*

- 4-1/2" Modern Valance cannot be installed inside the window frame. Returns must be selected for all inside mount blinds.
- All valance profiles utilize magnetic valance clips. The magnetic valance clips have a projection adjustment feature. By pulling the clips outward, they can provide an additional 1/4" projection.


ADJUSTED RETURN LENGTHS WITH SPACER BLOCKS & EXTENSION BRACKETS

3/8" Spacer Blocks (Small)	3-3/8"
3/4" Spacer Blocks (Large)	3-3/4"
3-7/8" Extension Brackets (Short)	4-1/4"
5-7/8" Extension Brackets (Long)	6-1/4"

Notes:

- *3" Return Lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

CUSTOM VALANCE RETURNS & RETURNS - MEASURED & CUT FROM THE INSIDE:



KEYSTONE VALANCE OPTION

Keystones

Designed to cover splices in oversized valances. Use as a decorative look over any blind.

Valances under 102"

A color matched Keystone may be ordered with a valance. The valance will come assembled with the Keystone position in the center of valance.



Valances over 102"

A color matched Keystone will be included at no charge. Will require assembly.

Notes:

The addition of a keystone will not affect the overall width of the valance.

The color of the keystone will match valance.



Order Configuration	How Valance Will Be Produced	
RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	1" Wider than ordered size (no change from standard)
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS	IB	Valance will be exact size of continuous valance measurement
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact
CONTINUOUS with RETURN LENGTH OVERRIDE	IB	1" Wider than ordered size
	OB	Inside return to return valance will be exact ordered width
	NET (available for Valance only orders)	With Returns- exact, inside return to return No Returns - Exact

PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	30	13
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - Cordless XL & Cordless Lift	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock™	Vinyl	Vinyl
Ladder Space	44 mm	54 mm
Wand Tilt	Yes	Yes
Standard Decorative Valance	Yes - 3"	Yes - 3"
Crescent Valance (Optional)	Yes - 3"	Yes - 3"
Modern Valance (Optional)	Yes - 3"	Yes - 3"
Modern Valance (Optional)	Yes - 4-1/2"	Yes - 4-1/2"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Headrail End Stiffener	Yes	Yes
Warranty (<i>Tilt motor systems are warranted for 5 years</i>)	Limited Lifetime	Limited Lifetime
Flame Resistant - NFPA #701 (2" & 2-1/2" Whites/ Neutrals & 2" Premium Grains I)	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless XL	Yes	Yes
Cordless Lift	Yes	Yes
Cordless Lift & Lock™	Yes	Yes
AMP and Somfy Automation System	Yes	Yes
* 2 On 1 Headrail - not available with Cordless XL or Cordless Lift	Yes	Yes
Crescent Valance Option	Yes	Yes
Modern Valance Option	Yes	Yes
Keystone Valance Option	Yes	Yes

CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Wand - Alternative Lengths (single blind)	Yes	Yes
Tilt Control Position - Cordless XL	L or R Under 12" net - center tilt only	L or R Under 12" net - center tilt only
Tilt Control Position - Cordless Lift	Left Tilt Only	Left Tilt Only
Tilt Control Position - Cordless Lift & Lock™ (single blind)	L or R	L or R
Tile Cut-out(s) - not available with Cordless XL or Cordless Lift & Lock™	Yes	Yes
Spacer Blocks (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - not available with 2-1/2" Cordless Lift & Lock	Yes	Yes

2 on 1 Lift & Lock™ with Wand Tilt	Width (NET)	LEFT BLIND	Right Blind
		WAND TILT	WAND TILT
	10-1/2" to 12-3/8"	C (only)	C (only)
12-1/2" or more	L or R	L or R	

FOOTNOTES (FEATURES & SPECIFICATIONS)
* There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 on 1 headrail not available with the Automation upgrades.

SIZE SPECIFICATIONS

Cordless XL	2"	2-1/2"
Minimum Width (Net)	8" - 11-7/8" (Tilt Only No Lift) 12"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	96"	
Maximum AREA (SQ/FT)	49 sq/ft	39 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

CORDLESS LIFT	2"	2-1/2"
Minimum Width (Net)	18"	
Maximum Width (One blind)	78"	
Minimum Height	12"	
Maximum Height	72"	
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft
Maximum Width 2 on 1 Headrail	N/A	
Maximum Continuous Valance Width (not spliced)	102"	

CORDLESS LIFT & LOCK™	2"	2-1/2"
Minimum Width (Net)	10-1/2"	
Maximum Width (One blind)	96"	
Minimum Height	12"	
Maximum Height	84"	
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	
Maximum Continuous Valance Width (not spliced)	102"	

AMP & Somfy Automation	2" w/ Cordless Lift	2-1/2" w/ Cordless Lift
Minimum Width (Net)	20"	20"
Maximum Width (One blind)	78"	78"
Maximum Height	72"	72"
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width ¹	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
2 on 1 Headrail	
Gap between panels	Approx. 1/4" - 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth: 2"	1-1/8"
Minimum mounting depth: 2-1/2"	1-1/4"
Minimum mounting depth, flush mount - 2" Slat:	3-1/2"
Minimum mounting depth, flush mount - 2-1/2" Slat:	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface:	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.


CONTROL CHARTS – CORDLESS XL

TILT WAND

• Plastic tilt wand is **color - coordinated** with slats

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 96"


No additional wand sizes available.



BOTTOMRAIL

• 2" Trapezoid bottom rails are standard on faux blinds with Cordless XL

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

The chart shows the end routes and the tilter route position based on the NET width of the headrail. The tilter route is from the end of the headrail.

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
21-1/8" to 96"	5"	1-1/2"

tilter route is from the end of the headrail

*For the ranges between 30.125" and 40", add the same quantity of lift cords as ladders when the drop is 70" or greater.

2-1/2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 22"	2	2
22-1/8" to 34"	3	*2
34-1/8" to 40"	4	*2
40-1/8" to 46"	4	4
46-1/8" to 58"	5	4
58-1/8" to 70"	6	*4
70-1/8" to 82"	7	*4
82-1/8" to 96"	8	4

Blind Width	End Routes	Tilter Route
8" to 11-7/8"	2-1/2"	Centered
12" to 13-7/8"	2-1/2"	1-1/4"
14" to 16"	3"	1-1/4"
16-1/8" to 20"	4-1/2"	1-1/2"
20-1/8" to 96"	5"	1-1/2"

STACK-UP-CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is


2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

PLUS	+ 2-1/2"
------	----------

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

PLUS	+ 2-1/2"
------	----------

VALANCE



• All valance profiles ordered over 2-1/2" Cordless XL will be notched for better clearance.

SQUARE FOOTAGE SPECIFICATIONS

2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:														
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	41
66	11	13	15	17	19	22	25	28	30	33	36	39	41	44
73	12	14	16	18	21	24	27	30	33	37	40	43	46	49
78	13	15	17	20	23	26	29	33	36	39	42	46	49	N/A
84	14	16	19	21	25	28	32	35	39	42	46	49	N/A	N/A
90	15	18	20	23	26	30	34	38	41	45	49	N/A	N/A	N/A
96	16	19	21	24	28	32	36	40	44	48	N/A	N/A	N/A	N/A

Max Square Footage 49

2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78	84	90	96
HEIGHT TO:														
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A
73	12	14	16	18	21	24	27	30	33	37	N/A	N/A	N/A	N/A
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A
90	15	18	20	23	26	30	34	38	N/A	N/A	N/A	N/A	N/A	N/A
96	16	19	21	24	28	32	36	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Max Square Footage 39

CONTROL CHARTS – CORDLESS

TILT WAND

- Tilt wands are **color - coordinated** with slats
- Tilt Length Override (**Optional**) - specify length when ordering
- Bliss and Somfy Automation, tilt function is controlled by remote unit



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.


2" & 2-1/2" Faux		
# of Routes	# of Ladders	# of Routes
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4

**Routes are positioned approximately 6" from the end of the slat for all blinds and 6-5/8" for blinds with Bliss or Somfy Automation

BOTTOMRAIL

- 2" **Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).



STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"

PLUS + 2-1/2"

SQUARE FOOTAGE SPECIFICATIONS

2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	37	40

Max Square Footage 40

2-1/2" FAUX

WIDTH TO:	24	28	32	36	42	48	54	60	66	72	78
HEIGHT TO:											
30	5	6	7	8	9	10	11	13	14	15	16
36	6	7	8	9	11	12	14	15	17	18	20
42	7	8	9	11	12	14	16	18	19	21	23
48	8	9	11	12	14	16	18	20	22	24	26
54	9	11	12	14	16	18	20	23	25	27	29
61	10	12	14	15	18	20	23	25	28	31	33
66	11	13	15	17	19	22	25	28	30	33	36
73	12	14	16	18	21	24	27	30	33	N/A	N/A

Max Square Footage 36

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT WAND

- Tilt wands are **color-coordinated** with slats
- Tilt Length Override (**Optional**) – specify length when ordering



Color wands up to 48" long. Clear wands 60", 72", or 84" available upon request. Please specify optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Length
12"	12" to 24"
20"	24-1/8" to 36"
24"	36-1/8" to 48"
36"	48-1/8" to 72"
48"	72-1/8" to 96"

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of routes
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1-1/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A **2" deep by 1" tall faux bottomrail** is standard
- Bottom rail colors are pre-selected. Color matched to slat color. Hardware override is not available
- Color coordinated end caps



STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- $Headrail + Bottomrail = 2-1/2"$

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"

PLUS + 2-1/2"

PLUS + 2-1/2"

SQUARE FOOTAGE SPECIFICATIONS

2" FAUX

HEIGHT TO:	WIDTH															
	24	28	32	36	42	48	54	60	66	72	78	84	90	96		
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20		
36	6	7	8	9	11	12	14	15	17	18	20	21	23	1		
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28		
48	8	9	11	12	14	16	18	20	22	24	26	28	30	32		
54	9	11	12	14	16	18	20	23	25	27	29	32	34	36		
61	10	12	14	15	18	20	23	25	28	31	33	36	38	N/A		
66	11	13	15	17	19	22	25	28	30	33	36	39	N/A	N/A		
73	12	14	16	18	21	24	27	30	33	37	40	N/A	N/A	N/A		
78	13	15	17	20	23	26	29	33	36	39	N/A	N/A	N/A	N/A		
84	14	16	19	21	25	28	32	35	39	N/A	N/A	N/A	N/A	N/A		

Max Square Footage 40

2-1/2" FAUX

HEIGHT TO:	WIDTH															
	24	28	32	36	42	48	54	60	66	72	78	84	90	96		
30	5	6	7	8	9	10	11	13	14	15	16	18	19	20		
36	6	7	8	9	11	12	14	15	17	18	20	21	23	24		
42	7	8	9	11	12	14	16	18	19	21	23	25	26	28		
48	8	9	11	12	14	16	18	20	22	24	26	28	30	N/A		
54	9	11	12	14	16	18	20	23	25	27	29	N/A	N/A	N/A		
61	10	12	14	15	18	20	23	25	28	N/A	N/A	N/A	N/A	N/A		
66	11	13	15	17	19	22	25	28	30	N/A	N/A	N/A	N/A	N/A		
73	12	14	16	18	21	24	27	30	N/A	N/A	N/A	N/A	N/A	N/A		
78	13	15	17	20	23	26	29	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
84	14	16	19	21	25	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

Max Square Footage 31

CONTROL CHARTS – AMP AND SOMFY AUTOMATION

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" FAUX		
Blind Width	# of Ladders	# of Routes
20" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 84"	7	4
84-1/8" to 96"	8	4

**Routes approximately 6-5/8" from the end of the slat.

STACK-UP CHART (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

• *Headrail+Bottomrail = 2-1/2"*

2" Faux		2 1/2" Faux	
Blind Height	Stack Height	Blind Height	Stack Height
48"	5"	48"	4"
72"	7-1/2"	72"	6-1/4"
84"	9-1/4"	84"	7-1/2"
96"	10-7/8"	96"	9"

LIMITED PRODUCT WARRANTY

BDD warrant to its direct fabricator/ retailer customer that BDD finished blinds and shades will be free from defects in materials and workmanship for a period of 10 years from the date of purchase (or such shorter period as is provided below), provided such products were properly installed and maintained as per our installation instructions and not modified in any way. We will repair or replace, at our option, a defective product after it is returned to BDD. Such repair or replacement shall be the customer's sole remedy.

Natural materials, especially wood, can have a tendency to warp when exposed to the elements. This is considered normal wear and tear and is not covered by this warranty.

Repairs and replacements will be made with like or similar parts or products. We will do our best to match the repair or replacement with similar parts or products, but colors may vary and we cannot guarantee an exact match from previous purchases or to other non-defective existing products, even if they are in or near the same opening. If the product, part/component, or operating system has been discontinued, we will repair or replace only the defective product with the most similar alternative available at the time of repair or replacement.

WHAT IS COVERED

- This warranty covers our products for defects in materials, mechanisms, workmanship, and failure to operate for a period of 10 years from the date of original purchase (unless shorter periods are provided in the chart below)
- All internal mechanisms, components, and brackets
- Fabric delamination
- BDD will provide a return shipping label for products less than 12 months old.

Product/ Components	Period of Coverage (from date of purchase)
All operational cords, ladders and tapes	7 Years
Motorization components and accessories* (batteries not included)	5 Years
Specialty Shades	1 Year

*All motorization components must be purchased from BDD to be covered by our warranty.

WHAT IS NOT COVERED

- Any conditions caused by normal wear and tear on the product.
- Abuse, accidents, misuse, or alterations to the product.
- Exposure to the elements (e.g., sunlight, salt air, wind, water/moisture, high humidity, or corrosive materials) which may cause discoloration, fading, cracking, shrinking, stretching, or warping over time.
- Failure to follow our instructions with respect to measurement, proper installation, cleaning, operation of the product, or maintenance.
- Labor costs associated with removal and reinstallation.
- Shipments will be at the purchaser's expense for all products more than 12 months old.

To Obtain Warranty Service:

- Contact your BDD Sales Representative for warranty assistance.
- Contact BDD for technical support, availability of parts, for assistance in obtaining warranty service, or for further explanation of our warranty.

NOTE: This limited warranty extends only to BDD direct fabricator/retailer customer and not to the consumer purchases of the product. EXCEPT AS EXPRESSLY PROVIDED IN THIS PARAGRAPH, BDD MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND, NATURE OR DESCRIPTION, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF ANY PRODUCTS FOR ANY PARTICULAR PURPOSE, AND HEREBY DISCLAIMS THE SAME. In no event shall BDD be liable or responsible for INCIDENTAL OR CONSEQUENTIAL DAMAGES or for any other direct or indirect damage, loss, cost, expense or fee. Some states do not allow the exclusion of limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State. This warranty is limited to blinds, shades, and shutters installed in residential dwellings but, again, extends only to BDD's direct fabricator/retailer customer and not to the consumer purchaser.

Different warranty periods and terms apply for commercial products and applications.

Effective 1/1/23

Sonoran
FAUX WOOD
BLIND COLLECTION

www.bddinc.com

Tucson	520.327.0123
Phoenix	602.243.9798
Salt Lake City	801.467.5065
Albuquerque	505.880.0883
Las Vegas	702.369.5333