




BDD INC.
EST. 1952

Artisan Metal Blinds

Retail Price List

May 1st, 2025



CONTENTS		PAGE
General Info		
Contact Us		3
Terms of Sales		4
Freight, Repair, and Rush Order Surcharges		5
Product Info		
Custom Aluminum Blind Color Selections		7
Color/ Sizes Specification Summary		8
1" Cordless Aluminum Blind Spec and Prices		9 - 11
2" Cordless Aluminum Blind Spec and Prices		12 - 13
Micro Cordless Aluminum Blind Spec and Prices		14 - 15
Motorized Aluminum Blinds - Simple Touch® Wand and Remote		16 - 18
Commercial Solutions		
Measure The Windows		19
Warranty Policy		20
Contractor Quotes		21

FREIGHT POLICY

STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES:

- \$8.00 freight charge per unit for the aluminum blind.
- The minimum freight charge is \$20.00 per order.
- Oversize (94" or above) charge is \$110.00 per shipment without quantity limit. Oversize charge is in addition to the freight charge.
- For the express shipment, shipment to Alaska, Hawaii and foreign countries, freight will be quoted separately.
- Freight collect and using preferred carrier is optional.
- Next Day, 2nd Day Air and 3 Day select shipping options are available. Actual freight will be applied.

FREIGHT DAMAGE AND SHORTAGES:

Please inspect all shipments immediately and carefully. Please report the damages and shortages on the delivery receipt and notify BDD customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.

REPAIR FEES

REPAIRING SERVICES	NET SURCHARGE/ PER BLIND
Shorten height	\$25.00
Cut down width	\$25.00
Restraining the ladder	\$30.00
Change control position	\$30.00
Replace headrail or bottomrail	\$30.00
Add/ Replace slats	\$30.00 per blind + \$1.50 per slat

MINIMUM REPAIR CHARGE (NET)	\$25.00
------------------------------------	----------------

****NOTE:** All repair charges do not include freight. Standard shipping charges will be applied.

RUSH ORDER SURCHARGES

- Rush orders are subject to inventory availability and production schedule.
- Same day rush must be submitted by 10 a.m. PST/PDT to be processed that business day.
- 24- and 48- hour rushes must be submitted by 2:30 p.m. PST/PDT to be processed that business day

RUSH OPTIONS	NET SURCHARGE/ PER BLIND
Same day production rush	\$40.00
24-hour rush	\$15.00
48-hour rush	\$8.00

Slats/ Components		Coils				Rails and valances for different blinds					Ladder
		1"		1/2" (micro)	2"	Cordless	Motorization			RV	
		6G	8G	6G	8G	1-1/2" headrail	Headrail	Valance insert	Bottom rail	Headrail & bottom rail	
Solid Colors	Black	012	8012	5012		15012	025	No Insert	012	012	012
	Matt white	014	8014	5014	2014	15018	001	No Insert	018	018	004
	Alabaster	017		5017	2017	15665	002	No Insert	665	017	017
	White	018	8018	5018	2018	15018	001	No Insert	018	018	004
	Federal Blue	027				15027	028	027	027		027
	Gloss Black	070			2070	15012	025	No Insert	012		012
	Transparent Aluminum	091	8091	5091	2091	15091	091	No Insert	091	091	022
	Light Alabaster	112	8112		2112	15665	002	No Insert	665	017	017
	Imperial Jade	178				15178	091	178	178		178
	Arctic Ice	189			2189	15018	001	No Insert	018	018	004
	Garnet Red	255				15255	020	255	255		255
	True Blue	259				15259	091	259	259		025
	Wisteria	502				15502	026	502	502		231
	Gray AZ	569	8569			15569	091	No Insert	693		022
	Simple White	651	8651			15018	001	No Insert	018	018	004
	Ivory	652	8652			15652	001	No Insert	652	018	004
	Light Aqua	566				15566	014	566	566		374
	Raw Umber	606			2606	15012	025	No Insert	012	012	012
	Beige Satin	611				15611	008	No Insert	611		005
	Smoky Gray	626		5626	2626	15626	091	626	626		022
Fawn	631	8631	5631	2631	15631	006	No Insert	631	017	005	
Vanilla	636				15636	002	636	636	017	017	
Char Brown	662	8662			15662	025	No Insert	662	012	663	
Almost White	665	8665	5665	2665	15665	002	No Insert	665	018	017	
Gray Sheen	693				15569	091	No Insert	693		022	
Alumi wood	Oak Wood	754				15754	011	754	754		302
	Walnut Wood	755				15755	012	755	755		007
Metalix & Jewel	Brown Gold Jewel	302				15611	091	302	611		302
	Mercury Silver	672				15091	091	672	091		022
	Umber Bronze	673				15662	012	673	662		662

Note: The color of the lift cord is white.

Wand Specification	
Blind Drop	Wand length
=< 25"	12"
25 1/8" - 45"	18"
45 1/8" - 55"	24"
55 1/8" - 65"	30"
65 1/8" - 85"	40"
85 1/8" - 105"	50"
105 1/8" - 125"	60"
> 125"	72"

1" and Micro Blinds - Quantities of hidden brackets	
Blind Width	Hidden Brackets
8" - 36"	2
36 1/8" - 60"	3
60 1/8" - 85"	4
85 1/8" - 105"	5
105 1/8" - 120"	6

The standard bracket for 1" and micro blind is the hidden bracket.

2" Blinds - Quantities of box brackets and center supports		
Blind Width	Box Brackets	Center Support
< 36"	2	0
36" - 72"	2	1
72" - 108"	2	2
108" - 142"	2	3

The standard bracket for 2" blind is the box bracket.

Optional hardware upon request (free of charge)

- Box brackets and center supports for 1" and micro blinds
- Extension brackets
- Spacer blocks
- Hold down brackets

1" STANDARD CORDLESS ALUMINUM MINI BLIND SPECIFICATION

Steel Headrail	1" high by 1-1/2" decorative headrail. Phosphate coated vinyl primed finished with a polyester baked enamel.
Bottom Rail	C shaped rail, phosphate coated and vinyl primed finished with a polyester baked enamel. Bottom Rail is color coordinated with slats.
Slats	Cold rolled spring tempered virgin aluminum slat. To have normal width of 1" and be 0.006" thickness after paint, to provide maximum strength and flexibility. Slats to be finished with a polyester baked enamel. 8g slats are available too.
Tilter	The tilter shall be worm gear design and shall be in an enclosed housing and secured by means of steel rivets to prevent separation. The stem shall be made of clear polycarbonate, the gear of polyacetal and the housing of clear polycarbonate, prelubed prior to assembly to assure durability and ease of use.
Tile Wand	Tilt wand should be plastic measuring approximately 5/16", fluted with grooves for a non-slip grip.
Cordless Modules	Cordless modules are constructed with PVC body. Lift cord is wound inside the module. Steel spring provides tension to pull the blind up. Lift cord is white color.
Ladders	Braided polyester with spacing of not more than 0.865" and arranged for total support of slat. Ladders are color coordinated with slats.
Installation Brackets	Constructed of cold rolled steel. Zinc plated. Hex head screws are included.
Handle	100% PVC
Fire Safety	Blind materials have been tested in accordance with the procedures outlined in NFPA 701 Fire Test 1.

1" PREMIUM CORDLESS ALUMINUM MINI BLIND SPECIFICATION

Headrail	Premium cordless aluminum mini headrail is made of aluminum. Headrail dimension is 1-1/2" high by 1-3/4" deep. Total depth with installation bracket is 1-7/8". Headrail end caps are made of PVC.
Bottom Rail	C shaped rail, phosphate coated and vinyl primed finished with a polyester baked enamel. Bottom Rail is color coordinated with slats.
Slats	Cold rolled spring tempered virgin aluminum slat. To have normal width of 1" and be 0.006" thickness after paint, to provide maximum strength and flexibility. Slats to be finished with a polyester baked enamel. 8g slats are available too.
Tilter	The tilter shall be worm gear design and shall be in an enclosed housing and secured by means of steel rivets to prevent separation. The stem shall be made of clear polycarbonate, the gear of polyacetal and the housing of clear polycarbonate, prelubed prior to assembly to assure durability and ease of use.
Tile Wand	The tilt wand should be plastic measuring approximately 5/16", fluted with grooves for a non-slip grip.
Cordless Module	Cordless modules are constructed with clear PVC body. Lift cord is wound inside the module. Steel spring provides tension to pull the blind up. A steel D rod link all modules together inside the head rail.
Tilt Rod	"D" shaped and galvanized to prevent corrosion.
Ladders	Braided polyester with spacing of not more than 0.865" and arranged for total
Installation Brackets	Constructed of cold rolled steel. Zinc plated. Hex head screws are included.
Handle	100% PVC
Fire Safety	Blind materials have been tested in accordance with the procedures outlined in NFPA 701 Fire Test 1.

1" STANDARD CORDLESS/BASE PRICES

WIDTH TO:	7"- 23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	120"
HEIGHT TO: 42"	92	97	102	104	112	119	126	133	138	146	153	158	165	182	196	213	228	245
48"	97	102	104	112	119	129	136	138	143	155	160	175	179	196	206	233	247	262
54"	102	104	112	114	129	136	141	146	153	165	175	182	192	206	226	247	262	284
60"	104	112	114	126	136	141	146	153	158	177	182	194	201	223	238	262	281	298
66"	107	114	126	133	141	146	153	160	167	187	194	201	211	235	252	281	298	325
72"	114	119	129	136	143	153	158	165	175	192	204	216	226	247	277	296	318	337
78"	119	129	136	141	150	158	167	177	187	201	211	226	235	260	284	315	332	357
84"	126	133	141	150	155	165	177	187	196	211	226	235	247	277	296	327	354	378
90"	133	138	146	153	165	177	187	196	206	226	238	250	262	289	318	344	376	405
96"	138	143	153	158	177	187	196	206	223	243	255	274	284	310	337	376	400	434
102"	141	150	158	165	182	196	204	216	233	250	267	284	296	330	359	395	427	463
108"	146	155	160	175	192	201	213	228	238	260	279	291	310	340	376	415	446	483
114"	150	158	167	179	196	206	223	235	247	274	289	306	325	359	391	432	468	500
120"	155	165	177	187	201	213	233	245	255	284	298	318	335	374	405	449	485	524

The maximum size of the standard cordless is 96" W x 96" H.

PREMIUM CORDLESS SURCHARGES (NET)

WIDTH TO:	24" - 26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	84"	96"
Surcharges	24	34	44	55	65	79	91	102	112	124	132	138	147	155

The maximum drop height of the 1" premium cordless aluminum blind is 72"H.

Standard Features

- 1" x 1-1/2" Steel Headrail
- 6 Gauge "Spring Tempered" Aluminum Slats
- Hidden Installation Bracket
- Inside Mount Actual Width is with 1/2" Deduction
- Left Wand Tilt, clear wand
- The color of the lift cord is white.
- Cordless operation

Specialty Colors or 8 Gauge Upgrade Retail Surcharges

- Metallix™/ Jewel Add 15% To Retail List Price
- AlumiWood™ Add 45% To Retail List Price
- 8 Gauge Slat Add 20% To Retail List Price

RV 1" Mini Blinds

Add 25% to the Retail List Price

Available in 012, 014, 017, 018, 091, 112, 189, 651, 652, 606, 631, 636, 662, and 665. Colors coordinate with rails 012, 017, 018, and 091.

Surcharges (NET)	Details
Standard cordless	Included, no additional surcharge.
AlumiWood Real Wood Wand	\$ 4.25/ per blind. The maximum wand length is 48".
Tile Cut Outs	\$ 8/ per side
Multi-Color Blinds	\$ 20/ per blind each additional color
Skylights (84" Height Maximum)	\$ 100/ per skylight (Up To 48" Wide) \$ 125/ per skylight (48 1/8" to 60" Wide)
2-on-1 & 3-on-1 headrail	The blinds are priced individually

2" CORDLESS ALUMINUM MINI BLIND SPECIFICATION

Headrail	The headrails are fabricated from steel which is 0.24" in thickness and iron phosphate treated. The rails are polyester baked enamel. Width 2 1/4" x height 2". Color coordinated to the slats and the bottom rail.
Bottom Rail	0.018" in thickness, same treating and paint process as the headrail. Width 2" x height 7/8". Color coordinated to the slats and the headrail. Lock seam sealed for better strength and cleanliness.
Slats (aluminum)	8" gauge 0.008" thick, spring tempered aluminum, to have a nominal width of 2". All slats are finished with a polyester, baked enamel finish coating.
Wand Tilt (Standard)	The wand will be a clear solid plastic measuring approximately 3/8" in thickness, fluted with grooves for non-slip grip and operation.
Cordless Modules	Cordless modules are constructed with PVC body. Lift cord is wound inside the module. Steel spring provides tension to pull the blind up. Lift cord is white color.
Tape Drums	Made of steel with a thickness of 0.032".
Drum Supports	The tape drum supports are made of the heavy duty plastic.
Valance	Double slat with the clips to mount to the headrail.
Ladders	Superior torque strength braided polyester yarn, with spacing 44 mm.
Cloth Ladder Tape	Made of 100% cotton 44 mm spacing. (Surcharged Option)
Tilt Rod	Square shaped steel, galvanized to prevent corrosion.
Lift Cord	White lift cord is part of cordless module. Made with a braided Polyester jacket and Rayon core of sufficient length to control the raising and lowering of the blind.
End Brackets	Box type with a hinged door. Constructed of the cold rolled steel. Finished with polyester baked enamel coating

MACRO 2" STANDARD CORDLESS BASE PRICES

WIDTH TO:		24"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"
HEIGHT TO:	42"	136	154	174	191	206	222	237	247	271	284	301	314	345
	48"	142	162	185	202	217	232	245	260	286	301	318	334	364
	54"	150	172	192	210	226	245	255	273	299	319	335	352	385
	60"	158	178	202	219	238	254	270	288	314	331	351	368	404
	66"	164	188	208	230	248	263	284	299	327	347	366	386	423
	72"	173	192	216	238	256	276	295	311	342	364	383	403	443
	84"	186	209	234	256	277	298	318	337	371	395	417	438	464
	96"	207	232	260	285	308	331	353	374	412	438	463	486	516
	108"	231	260	291	319	344	370	395	419	461	489	519	545	578
	120"	264	297	332	362	393	422	441	478	526	558	591	622	658

The width of the 2" Standard Cordless blind is up to 96" and the drop is up to 108"

Sizes in the Gray Section are not available as the 2" Cordless. It can be ordered as tilt only blind instead

Standard Features

- 2" x 2" Steel Headrail
- Wand Tilt
- 2-Slat Standard Valance
- Inside Mount Actual Width is with 1/2" Deduction
- The color of the lift cord is white.
- Cordless operation

Specialty Colors & Cloth Ladder Tape Option Retail Surcharges

- Cloth Ladder Tape Choose From 16 Designer Colors Add 15% To Retail List Price

Surcharges (NET)	Details
Tile Cut Outs	\$ 8.00/ per side
Multi-Color Blinds	\$ 20.00/ per each additional color/ per blind
2-on-1 & 3-on-1 head rail	The blinds are priced individually

MICRO CORDLESS ALUMINUM MINI BLIND SPECIFICATION

Steel Headrail	1" high by 1-1/2" decorative headrail. Phosphate coated vinyl primed finished with a polyester baked enamel.
Bottom Rail	C shaped rail, phosphate coated and vinyl primer finished with a polyester baked enamel.
Slats	Cold rolled spring tempered virgin aluminum slat. To have normal width of 3/5" and be 0.006" thickness after paint, to provide maximum strength and flexibility. Slats to be finished with a polyester baked enamel.
Tilter	The tilter shall be worm gear design and shall be in an enclosed housing and secured by means of steel rivets to prevent separation. The stem shall be made of clear polycarbonate, the gear of polyacetal and the housing of clear polycarbonate, prelubed prior to assembly to assure durability and ease of use.
Tile Wand	Tilt wand should be plastic measuring approximately 5/16", fluted with grooves for a non-slip grip.
Cordless Modules	Cordless modules are constructed with PVC body. Lift cord is wound inside the module. Steel spring provides tension to pull the blind up. Lift cord is white color.
Tilt Drums	Shall be polyacetal with the steel tape fasteners to secure the ladders to the headrail.
Drum Supports	Constructed of polypropylene with the steel cord pin to reduce friction.
Ladders	Braided polyester with the spacing of not more than 0.865" and arranged for total support of the slat.
Tilt Rod	"D" shaped and galvanized to prevent corrosion.
Installation Brackets	Standard hidden brackets. Zinc plated to prevent corrosion. The box bracket with hinged door is also available. Constructed of cold rolled steel. Finished with
Fire Safety	Blind materials have been tested in accordance with the procedures outlined in NFPA 701 Fire Test 1.

MICRO 1/2" STANDARD CORDLESS BASE PRICES

WIDTH TO:		7-23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"
HEIGHT TO:	42"	117	121	129	133	151	159	167	174	184	200	210	221	232	255	277	305
	48"	121	129	135	142	161	171	177	188	196	216	226	239	249	275	298	333
	54"	129	135	143	151	171	180	189	199	208	230	241	255	267	297	318	358
	60"	133	142	152	157	177	188	200	210	221	243	258	273	286	316	344	382
	66"	143	151	159	170	187	199	210	223	236	260	274	289	304	337	368	409
	72"	150	157	167	176	196	208	223	236	248	274	289	305	322	358	392	433
	78"	154	164	173	184	206	221	234	248	261	289	305	322	340	378	413	457
	84"	159	171	181	192	216	230	246	260	274	304	321	338	358	397	434	483
	90"	164	177	189	199	224	240	256	273	289	316	337	358	377	419	457	511
	96"	172	184	195	207	236	251	267	285	301	333	353	375	394	441	482	536


Standard Features

- 1" x 1-1/2" Steel Headrail
- 6 Gauge "Spring Tempered" Aluminum Slats
- Inside Mount Actual Width is with 1/2" Deduction
- The color of the lift cord is white.
- Cordless operation

Surcharges (NET)	Details
Tile Cut Outs	\$ 8 per side
Multi-Color Blinds	\$ 20/ per each additional color/ per blind
Skylights (84" Height Maximum)	\$ 100.00 Per Skylight (Up To 48" Wide) \$ 125.00 Per Skylight (48 1/8" to 60" Wide)
2-on-1 & 3-on-1 head rail	The blinds are priced individually

Simple Touch® Wand motorized aluminum blinds are powered by the Simple Touch® rechargeable battery pack. The motor can support a blind up to 9 lbs. This unique cordless, battery powered blind has a control on a wand handle. Consumers do not have to worry about losing their remote control. **Simple Touch® Wand** aluminum blinds are constructed with a heavy duty 9/16" headrail and a variety of aluminum coils. **The manufacturer will program the top and bottom limits for each blind.**

Surcharge	Added to the base price (MSRP)
Simple Touch® Wand	\$ 255
Power Source: Simple Touch® rechargeable battery pack (included)	



FEATURES OF THE WAND

- Standard length: half of the drop of the blind
 - Wand is clear with white cord inside
 - Minimum wand length: 12"
 - Maximum wand length: 60"
- *NOTE:** Standard wand control is on the right side unless specified.

Simple Touch® Wand Motorized Aluminum Blind

- The Simple Touch® wand is available with all 1" slats, including both 6G and 8G.
- The headrail is only made with 9/16" headrail.
- Color coordinated headrail, end caps, and wand handle
- Pre-programmed with the top and bottom limits
- Option to follow the programming instruction to set up my favorite position
- No hand remote control
- Powered by a Simple Touch® rechargeable battery pack (included)

Power Sources and Solar Panel

- **Standard power source - Simple Touch® rechargeable battery pack**
 - The minimum flush mounting space is 3-1/4" when hooking the battery pack behind the headrail.
 - Option to mount it to the wall or window frame. Keep it away from the sunlight.
 - The mounting brackets and screws are included.
 - The USB wall adaptor and 80" USB-C charge cord are included. **The default quantity of the charger and USB cord is 1 set per order.** You can request more sets at no cost, up to the same quantity as the rechargeable battery pack you ordered.
 - Color - White
 - Indoor use only
- **Optional solar panel - requires a rechargeable battery pack**
 - The Simple Touch® rechargeable battery pack is compatible with a solar panel from Rollease.
 - The installation kit and USB cord are included.
- **Optional power source - Power adaptor**
 - Powered the blind directly from the wall plug.



ADDITIONAL HARDWARE	MSRP
Simple Touch® rechargeable battery pack	\$ 100.00
USB wall adaptor (for recharging the rechargeable battery pack)	\$ 21.00
Solar panel (from Rollease Acmeda)	\$ 226.00
Power extension cord (118")	\$ 16.00
Power adaptor (with 70" cord)	\$ 42.00

SIZE LIMITATIONS	
Minimum Width	24"
Minimum Height	12"
Maximum Width	118"
Maximum Sq.Ft.	56
Maximum Weight	9lbs

NOTE: It's not recommend for using a 3rd party USB charger block.

COLOR COORDINATION:

- The **Simple Touch® Wand** aluminum blind follows our standard color coordination chart
- Color coordinated headrail, bottom rail, and end caps

SLATS OPTIONS:

The **Simple Touch™ Wand** system is available for all 1" mini blinds.

UPPER LIMIT, LOWER LIMIT AND MY FAVORITE POSITION:

The **Simple Touch® Wand** aluminum blind is preset with upper position at 0", and lower position at ordered drop. Consumers can set up the favorite position followed by the instruction inside the package.

INSTALLATION:

The **Simple Touch® Wand** aluminum blind is installed with the heavy duty brackets. The installation instruction and user guide are included in the hardware bag and also on www.htwfonline.com.

The **Simple Touch® Remote** motorized aluminum blind is operated by a rechargeable battery pack. It's operated by a 15-channel remote. The motor can support a blind up to 9 lbs. It is economical option to meet your budget. The **Simple Touch® Remote** aluminum blinds are made with the heavy duty headrail and finest aluminum coil. The blind has features of setting upper limit, lower limit and your favorite position. The motorized blind will be programmed with top and bottom limits before ship out.

SURCHARGE	Added to the base price (MSRP)
Simple Touch® Remote	\$ 336


REMOTE CONTROL	MSRP
Simple Touch® 15-channel remote	\$ 242.00

Simple Touch® Motorized Aluminum Blind

- The Simple Touch® motorized aluminum blind is available with all 1" slats.
- The headrail is made with 9/16" headrail.
- Color coordinated headrail, end caps, and wand handle
- Pre-programmed with the top and bottom limits. The top limit is preset with upper position at very top. The bottom limit is preset with lower position at ordered drop.
- Option to follow the programming instruction to set up my favorite position
- The motorized blind is controlled by a 15-channel remote.
- The group control is available at "Channel 0".
- Powered by a Simple Touch® rechargeable battery pack (included)

Power Sources and Solar Panel

- **Standard power source - Simple Touch® rechargeable battery pack**
 - The minimum flush mounting space is 3-1/4" when hooking the battery pack behind the headrail.
 - Option to mount it to the wall or window frame. Keep it away from the sunlight.
 - The mounting brackets and screws are included.
 - The USB wall adaptor and 80" USB-C charge cord are included. **The default quantity of the charger and USB cord is 1 set per order.** You can request more sets at no cost, up to the same quantity as the rechargeable battery pack you ordered.
 - Color - White
 - Indoor use only
- **Optional solar panel - requires a rechargeable battery pack**
 - The Simple Touch® rechargeable battery pack is compatible with a solar panel from Rollease.
 - The installation kit and USB cord are included.
- **Optional power source - Power adaptor**
 - Powered the blind directly from the wall plug.



ADDITIONAL HARDWARE	MSRP
Rechargeable battery pack	\$ 100.00
USB wall charger	\$ 21.00
Solar Panel - Rollease	\$ 226.00
Power adaptor (with a 70" cord)	\$ 42.00
Power extension cord (118")	\$ 16.00

SIZE LIMITATIONS	
Minimum Width	24"
Minimum Height	12"
Maximum Width	118"
Maximum Sq.Ft.	56
Maximum Weight	9Lbs

COLOR COORDINATION:

- The **Simple Touch® Remote** aluminum blind follows our standard color coordination chart
- Color coordinated fabric, headrail, bottom rail, and end caps.

INSTALLATION:

The **Simple Touch® Remote** aluminum blind is installed with the heavy duty brackets. The installation instruction is included in the hardware bag.

LIMITED LIFETIME MANUFACTURER WARRANTY

WHAT IS COVERED BY THE WARRANTY

- Warranty is offered to the original owner.
- The warranty only applies to products installed properly in the window for where they were intended, following B.D.D. Inc. installation instructions, care guide, programming instructions, and suggestions.
- B.D.D.'s warranty applies to products made and assembled solely with B.D.D.'s original materials.
- Warranty will repair or replace the product solely at B.D.D.'s option due to defective material or poor workmanship.
- This warranty gives you specific legal rights and you may also have other rights, which vary from the state to state.

Note: 5-year warranty for the Simply Touch® motorized parts and remote.

WHAT IS NOT COVERED BY THE WARRANTY

- This warranty does not apply to any B.D.D. products damaged by accident, misuse, abuse, direct exposure to salty air or improper moisture, discoloration due to sunlight, under exposure or irregular temperature.
- This warranty does not apply to conditions caused by normal wear and tear upon the product. It does not apply to any product damaged by fire, flood, wind, rain, lightning, or other act of nature environment.
- In no event shall B.D.D. be liable for incidental or consequential damage, loss, cost, expense or fee.
- Warranty does not apply to liquidated or discontinued items.
- Warranty does not include shipping charges.

ABOUT THE SHIPPING AND RETURN FEES

- **Within 12 months**

B.D.D. pays for return on the repairs within 12 months of receipt of the products. B.D.D. will ship the products back to the customer for free.

- **After 12 months**

The customers are responsible for the return shipping. B.D.D. will cover the repair cost and ship it back for free.

HOW TO OBTAIN WARRANTY SERVICE

Please contact B.D.D. Window Fashions customer service with the following information, including:

- Original sales receipt
- Model and identification numbers
- Detail description of defect